



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended October 21, 1911—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants.</i>														
Ann Arbor, Mich.	14,817	4	3											1
Beaver Falls, Pa.	12,191						1							1
Bennington, Vt.		4	1											
Braddock, Pa.	19,597	12	1	1			5					1		
Butler, Pa.	20,728	8	3											3
Cambridge, Ohio.	11,327	2												3
Camden, S. C.			1				1							
Carbondale, Pa.	17,040	2					4	1						
Clinton, Mass.	13,075	4									1			
Coffeyville, Kans.	12,687												2	
Columbus, Ga.	20,554	7											1	1
Columbus, Ind.		2	5										1	
Concord, N. H.	21,497	7	1										1	
Cumberland, Md.	21,839	6	4				5				1		12	1
Dunkirk, N. Y.	2	1									1			
Galesburg, Ill.	22,089	5	5				1							2
Greensboro, N. C.	15,859	6	2											
Harrison, N. J.	14,498	4												
Homestead, Pa.	18,713	5	8		1									
Hyde Park, Mass.	15,507	4												
Kearny, N. J.	18,659	5			1									
Kokomo, Ind.	17,012	4											1	1
La Fayette, Ind.	12,081	7												
Lebanon, Pa.	19,240		14											
Mariette, Wis.	14,610	2												1
Marlboro, Mass.	14,579	1									1			
Massillon, Ohio.	13,879	2										1		
Medford, Mass.	23,150	3	5				1				2			
Melrose, Mass.	15,715	4			1						2			
Moline, Ill.	24,199	11	1									2	3	
Montclair, N. J.	21,150	7									2			
Morristown, N. J.	12,507	4	1										2	
Nanticoke, Pa.	18,877	5	1		4							1		
Newburyport, Mass.	19,949	5												
North Adams, Mass.	22,019	4	3	1			2							
Northampton, Mass.	19,431	9												1
Peekskill, N. Y.		5	1											
Plainfield, N. J.	20,550	5					4				2			
Pottstown, Pa.		5					1							
Rutland, Vt.	13,546	4	2											1
Sandusky, Ohio.	19,989											2	2	
Saratoga Springs, N. Y.		4												
Steelton, Pa.	14,246	8	23	4	1							1	1	
South Bethlehem, Pa.	19,973	8	2									1	2	
Warren, Ohio.	11,080		3											1
Wilkinsburg, Pa.	18,924	6	1								2	1		1
Woburn, Mass.	15,308	8											3	

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (untabulated).

CALIFORNIA.—Month of June, 1911. Population, 2,377,549. Total number of deaths from all causes 2,604, including diphtheria 7, measles 7, scarlet fever 11, tuberculosis 395, typhoid fever 38. Cases reported: Diphtheria 48, measles 322, scarlet fever 150, smallpox 3, typhoid fever 73.

Month of July, 1911. Total number of deaths from all causes 2,591, including diphtheria 3, measles 11, scarlet fever 4, tubercu-

losis 390, typhoid fever 47. Cases reported: Diphtheria 63, measles 108, scarlet fever 77, smallpox 4, tuberculosis 217, typhoid fever 79.

CONNECTICUT.—Month of September, 1911. Population of reporting towns, 1,124,405. Total number of deaths from all causes 1,270, including diphtheria 22, scarlet fever 7, tuberculosis, pulmonary, 105, typhoid fever 20. Cases reported: Diphtheria 181 in 35 towns, measles 12 in 7 towns, scarlet fever 91 in 23 towns, tuberculosis, pulmonary, 104 in 33 towns, typhoid fever 453 in 58 towns.

FLORIDA.—Week ended September 23, 1911. Reports to the State board of health show diphtheria present in 4 localities with 7 cases, malaria in 4 localities with 16 cases, smallpox in 2 counties with 22 cases, tuberculosis in 4 localities with 9 cases, typhoid fever in 6 localities with 10 cases.

Reports from the State board of health show as follows: Week ended September 30, 1911. Diphtheria was reported in 2 localities with 2 cases, malaria in 3 localities with 9 cases, smallpox in 2 counties with 28 cases, tuberculosis in 4 localities with 7 cases, typhoid fever in 6 localities with 11 cases.

Week ended October 7, 1911. Diphtheria present in 4 localities with 7 cases, malaria in 3 localities with 12 cases, tuberculosis in 7 localities with 12 cases, typhoid fever in 7 localities with 17 cases.

IOWA.—Month of August, 1911. Population 2,224,771. Total number of deaths from all causes 1,668, including diphtheria 9, measles 1, scarlet fever 2, tuberculosis 116, typhoid fever 37.

KANSAS.—Month of August, 1911. Population 1,690,949. Total number of deaths from all causes not reported. The deaths include diphtheria 8, measles 3, scarlet fever 1, smallpox 6, tuberculosis 12, typhoid fever 32. Cases reported: Diphtheria 67, measles 156, scarlet fever 88, smallpox 45, tuberculosis 190, typhoid fever 267.

MICHIGAN.—Month of August, 1911. Population 2,810,173. Total number of deaths from all causes 2,898, including diphtheria 22, measles 5, scarlet fever 10, tuberculosis 173, typhoid fever 50. Cases reported: Diphtheria 156 in 49 localities, measles 42 in 23 localities, scarlet fever 137 in 39 localities, smallpox 22 in 6 localities, tuberculosis 108, typhoid fever 290.

MINNESOTA.—Month of June, 1911. Population 2,075,078. Total number of deaths from all causes 1,463, including diphtheria 16, measles 17, scarlet fever 9, tuberculosis 200, typhoid fever 14.

NEW JERSEY.—Month ended September 10, 1911. Population 2,537,167. Total number of deaths from all causes 3,313, including diphtheria 27, measles 6, scarlet fever 12, tuberculosis 332, typhoid fever 38.

NORTH DAKOTA.—Month of August, 1911. Population 577,056. Total number of deaths from all causes 256, including diphtheria 2, tuberculosis 1, typhoid fever 1. Cases reported: Diphtheria 25,

measles 8, scarlet fever 26, smallpox 6, tuberculosis 12, typhoid fever 18.

OKLAHOMA.—Month of August, 1911. Population 1,657,155. Total number of deaths from all causes 743, including diphtheria 4, scarlet fever 3, tuberculosis 43, typhoid fever 50. Cases reported: Diphtheria 53, scarlet fever 52, smallpox 17, tuberculosis 80, typhoid fever 519.

UTAH.—Month of September, 1911. Population 373,351. Total number of deaths from all causes 289, including diphtheria 8, measles 1, scarlet fever 2, tuberculosis 5, typhoid fever 9. Cases reported: Diphtheria 45, measles 34, scarlet fever 74, smallpox 53, tuberculosis 4 (incomplete), typhoid fever 194.

WISCONSIN.—Three months ended June 30, 1911. Population 2,333,860. Total number of deaths from all causes 6,938, including diphtheria 56, measles 84, scarlet fever 56, tuberculosis 672, typhoid fever 70. Cases reported: Diphtheria 442, measles 1,810, scarlet fever 993, smallpox 129, tuberculosis 307, typhoid fever 212.